

PUNCH SET Ø1/8" TO 1 3/16" WITH Ø13" GASKET CUTTING TOOL

168,73 € excl. tax 202,48 € incl. tax

Set of twinnable and interchangeable hollow punches up to 1 3/16" with gasket cutting machine for cutting circles up to 13" in diameter.



:

Made in France

SKU: JLB330PACCUS | Categories: Punch sets in inches |

Set of 15 interchangeable and twinnable hollow punches with gasket cutting tool up to 13".

This set allows the cutting of gaskets, pellets, or washers up to 1 3/16" (30.2 mm) in diameter. The hollow punches are locked on the handle-chuck very easily thanks to the spur system and can be twinned to cut a ring in one operation.

The chuck handle is a high-performance, comfortable and safe striking tool. The reinforced impact head allows a longer tool life and its patented system which absorbs the vibrations is a real comfort for the user.

The tool has a double use and also allows the cut-out of larger diameters from 2 3/8" (60.3 mm) to 13" (330 mm). The ergonomic handle of the tool provides comfort and excellent dexterity as it frees one hand which can block the material to be cut. The stainless steel blade has been specially designed for precise, high-performance cutting.

Fiche article : Punch set Ø1/8'' to 1 3/16'' with Ø13'' gasket cutting tool - Référence : JLB330PACCUS

The retractable centering pin allows precise cutting positionning and also the centering for using the gasket cutting tool.

This set includes :

- 15 hollow punches: Ø1/8"-3/16"-1/4"-5/16"-3/8"-7/16"-1/2"-9/16"-5/8"-3/4"-7/8"-1"-1 1/16"-1 1/8"- 1 3/16"
- 1 Handle-Chuck for hollow punches Ø2 to 30 mm and 1/8" to 3/16'
- 1 Retractable centering pin
- 1 Rod for Ø13" circular cutter with its blade

Product advantages

- Patented anti-vibration system and registered tool design.
- Measuring ruler printed on the box for setting the cutting diameter.
- Allen key supplied in the set in order to replace the worn blade quickly
- User guide included



Made in France

For information on how to use our tools, please consult our tutorials.

center top no-repeat 1Efn9MaB9t0 |