

Fiche article : Punch set Ø1/8" to 2 3/8" with Ø16 1/2" (Ø420 mm) gasket cutting tool - Référence : JLB260PACCUS

PUNCH SET Ø1/8" TO 2 3/8" WITH Ø16 1/2" (Ø420 MM) GASKET CUTTING TOOL



450,02 € excl. tax
540,02 € incl. tax

Punch set ideal for maintenance work

For cutting gaskets and discs up to 2 3/8" and up to 16 1/2" with the cutting compass



Made in France

SKU: JLB260PACCUS | **Categories:** [Punch sets in inches](#) |

:

Set of 34 interchangeable and twinnable hollow punches with gasket cutting tool up to 16 1/2" (420 mm)

This set allows the cutting of gaskets, pellets, or washers up to 2 3/8" (60.3 mm). The hollow punches are locked on the chuck very easily thanks to the spur system and can be twinned to cut a ring in one operation.

The handle is a high-performance, comfortable and safe striking tool. The reinforced impact head allows a longer tool life and its patented system which absorbs the vibrations is a real comfort for the user.

The tool has a double use and also allows the cut-out of larger diameters from 2" to 16 1/2" with the Ø16 1/2" (420 mm) gasket cutting tool. The ergonomic handle of the tool provides comfort

Fiche article : Punch set Ø1/8" to 2 3/8" with Ø16 1/2" (Ø420 mm) gasket cutting tool - Référence : JLB260PACCUS

and excellent dexterity as it frees one hand which can block the material to be cut. The stainless steel blade has been specially designed for precise, high-performance cutting.

The retractable centering pin allows precise cutting positioning and also the centering for using the gasket cutting tool.

This set includes :

- 34 hollow punches :
Ø1/8"-5/32"-3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"-9/16"-5/8"-3/4"-7/8"-1"-1 1/16"-1 1/8"- 1 3/16"-1 1/4"-1 5/16"-1 3/8"-1 7/16"-1 1/2"-1 5/8"-1 11/16"-1 3/4"-1 7/8"-2"-2 1/8"-2 3/16"-2 1/4"-2 5/16"-2 3/8"
- 1 Handle for chuck
- 1 Chuck for Ø2 to 60 mm and 1/8" to 2 3/8" hollow punches
- 1 Retractable centering pin
- 1 Rod for Ø 16 1/2 (420 mm) circular cutter with its blade
- 1 extra blade

Product advantages

- Patented anti-vibration system and registered tool design.
- Lacquered metal box
- Measuring ruler printed on the box for setting the cutting diameter.
- Chuck with a setscrew to ensure its tightening during the use
- Allen key supplied in the set in order to replace the worn blade quickly
- User guide included



For information on how to use these tools, please consult [our tutorials](#).

center top no-repeat YUOGP60fuxg |

Fiche article : Punch set Ø1/8" to 2 3/8" with Ø16 1/2" (Ø420 mm) gasket cutting tool - Référence : JLB260PACCUS